



TAMIL NADU AGRICULTURAL UNIVERSITY
Horticulture Research Station
Yercaud- 636 602

Dr. V. A. Sathiyamurthy, Ph.D.,
Professor and Head
Horticultural Research Station
Yercaud- 636 602

Phone: 04281 – 290656 /222234

Email: hrsycd@tnau.ac.in

No. P&H/HRS/YCD/ TNAU/NADP/Drip irrigation/sealed tender/2021/dt.28.12.2021

LETTER CALLING FOR SEALED TENDERS

It is proposed to purchase drip irrigation materials and you are therefore requested to send your Tenders for the item as specified below.

1.	Items to be purchased	:	Installation of surface / sub surface irrigation and accessories to the demonstration plot Detailed specification given in the tender schedule
2.	Due date and time for receipt	:	12.01.2022- 11.00A.M
3.	Date & Time of Opening	:	12.01.2022- 12.00 P.M
4.	Mode of sending	:	Sealed cover addressed to The Professor & Head, Horticultural Research Station, Tamil Nadu Agricultural University, Yercaud 636 602 Superscribed as “ Tender for installation of drip irrigation ”- due on 12.01.2022
5.	Tender Document	1.	Tender schedule is enclosed
	EMD		i) EMD Rs 10,000 ii) To be furnished in the form of Demand Draft drawn in favour of “ The Professor & Head, Horticulture Research Station, Tamil Nadu Agricultural University, Yercaud ” payable at Yercaud . ii) Demand draft to be obtained on or before 12.01.2022
6.	Validity of the tender	:	Tender should be valid up to a minimum of <u>180 days</u> from the due date.

Conditions:

- i. The rate and the taxes thereon if any should be furnished separately either in FC / INR.
- ii. The amount should be shown both in figures and in words. Corrections if any should be attested properly. Tenders with corrections not attested will be rejected.
- iii. a) Tenders without furnishing the required EMD will be rejected.
b) Tenderers claiming exemption from paying the EMD should produce necessary evidence / documents in support of their request.
c) EMD in respect of unsuccessful tenderer will be refunded after the supply of material by L1 bidder. EMD in respect of successful tender will be refunded after the expiry of the warranty period;

- d) No interest is payable on EMD
- iv. Tender should be furnished for the exact specifications as given in this letter. Tenders not in accordance with the specification will be rejected. In the case of equipments, the relevant brochure / pamphlet of the equipment containing the features and specifications should necessarily be attached with the Tender / Quotation.
 - v. The supply should be effected within 30 days from the date of purchase order.
 - vi. Warranty period should be indicated.
 - vii. After warranty condition for AMC should be indicated.
8. If the successful tender fails to supply the item within the stipulated time, the EMD will be forfeited apart from initiating further action for consequential loss if any to the Tamil Nadu Agricultural University.
 9. Tender shall be furnished in the prescribed format enclosed in the tender document duly signed by the tenderer accepting the condition and the tender format shall be sent. Tender not furnished in the prescribed format itself will be rejected.
 10. Tenderer may be present or send their representative on the date of opening. The under signed have the right to accept (or) reject any tender without assigning any reason thereof.

**Professor & Head,
HRS, TNAU, Yercaud**